



SLIDING DOOR SYSTEM

Amxon Locks Limited
Rm. 1911, 19/F., Hong Kong Plaza
188 Connaught Road West
Hong Kong
[http:// www.amxonlocks.com](http://www.amxonlocks.com)



Established in 2001,

we are a specialized manufacturer of good quality hardware for FURNITURE FITTING, DOOR FITTING, GLASS FITTING and SHOWERROOM FITTING.

more than 18-year experiences in design, production, OEM & ODM service, with a well-equipped production line and management, with a professional team of committed staff responsible for R&D, sales & service, insisting on a pursuit of excellence for products has passed ISO9001 quality control system and has got **CE / ANSI / UL** certificates for products.

Thanks to superior product quality and warmest service to customers, we have achieved order production for lots of world-famous brands and well accepted and highly appraised by customers all over the world.

And meanwhile we have realized the self-improvement and will go forward with the philosophy of "**always to be better**".

Friendship and business cooperation from the esteemed customers are always welcomed to us with great pleasure.



BARN DOOR

WB700 Series

For wooden door ,max door weight 100kg
With solid track bar, mounted on wall, optional soft close function

WB700


UP TO 100KG
ANSI/BHMA A156.14 Grade 1



TR07-W1

TR07-W3

TR07-W4




TR07-W2


SPECIFICATIONS

- . For 35-45mm wooden door
- . Max door weight 100kg
- . Track bar size: 6x40mm
- . Optional soft close function
- . Material: steel
- . Finish: coating

WB700/TR07-W1
WB700/TR07-W3
WB700/TR07-W4



WB700/TR071-W2



COMPONENTS

2pcs



TR07-W1
track roller

2pcs



WB700-02
roller stopper

5pcs



WB700-01-002
track bracket

2pcs




WB700-03-001
anti jump pin

1pc



WB700-04A
door guide

2pcs



WB700-01-004
soft closer(optional)

MINI BARN DOOR


WB701 Series

For wooden door
Max door weight 25kg
With solid track bar
Mounted on wall
Optional soft close function



WB701

UP TO 25KG
According To ANSI/BHMA A156.14







TR071-W1 TR071-W3 TR071-W4 TR071-W5

TR071-W2

WB701/TR071-W1
WB701/TR071-W3
WB701/TR071-W4
WB701/TR071-W5

WB700/TR071-W2



COMPONENTS

2pcs	2pcs	5pcs	2pcs	1pc	2pcs
TR071-W1 track roller	WB701-03 roller stopper	WB700-01-002 track bracket	WB700-03-001 anti jump pin	WB700-04A door guide	WB700-01-004 soft closer(optional)

SLIDING DOOR SYSTEM


WB1000 Series

For wooden door and glass door ,max door weight 80kg
With aluminium track bar, mounted on wall
Optional soft close function


WB1000

UP TO 80KG
According To EN1527:2013

TR04-G2 For Glass Door




TR04-W2 For Glass Door




SPECIFICATIONS

- . For 10-12mm glass door and 35-45mm wooden door
- . Max door weight 80kg
- . Track bar size: 18x45x2000mm
- . Material: aluminum
- . Finish: silver/black

WB1000/TR04-G2



WB1000/TR04-W2



COMPONENTS

2pcs	2pcs	2pcs	5pcs	1pc	1pc	2pcs
TR04-G2 roller for glass door	TR04-W2 roller for wooden door	WB1000-01-04 roller stoper	WB1000-01-005 track bracket	SDS-C01-06 door guide For glass door	SDS-U01A-06 door guide For wooden door	WB1000-01-007 soft closer(optional)

SLIDING DOOR SYSTEM

WB400 Series


For wooden door ,max door weight 80kg
With tube track bar, mounted on wall,
optional soft close function

WB400



UP TO 80KG
According To EN1527:2013



TR05-W1



WB400/TR05-W1



- SPECIFICATIONS
- . For 35-45mm wooden door
 - . Max door weight 80kg
 - . Track bar size: Ø25mm
 - . Material: stainless steel
 - . Finish: SSS/black

COMPONENTS

2pcs



TR05-W1
track roller

2pcs



Wb107
track end plug

4pcs



WB402
track bracket

2pcs



WB800-02
roller stopper

1pc




SDS-U01A-06
door guide

2pcs



WB800-01-004
soft closer(optional)



SLIDING DOOR SYSTEM

WB400 Series

For wooden door ,max door weight 80kg


With tube track bar, mounted on wall, optional soft close function

WB400

UP TO 80KG
According To EN1527:2013





TR01-W1



- SPECIFICATIONS**
- . For 35-45mm wooden door
 - . Max door weight 80kg
 - . Track bar size: Ø25mm
 - . Material: stainless steel
 - . Finish: SSS/black

WB400/TR01-W1



COMPONENTS

2pcs



TR01-W1
track roller

2pcs



Wb107
track end plug

4pcs



WB402
track bracket

2pcs



WB800-02
roller stopper

1pc



SDS-U01A-06
door guide

2pcs



WB800-01-004
soft closer(optional)

SLIDING DOOR SYSTEM

WB400 Series


For wooden door and glass door ,max door weight 80kg
With tube track bar, mounted on wall

WB400

UP TO 80KG
According To EN1527:2013





TR01-G1



SPECIFICATIONS

- . For 10-12mm glass door
- . Max door weight 80kg
- . Track bar size: Ø25mm
- . Material: stainless steel
- . Finish: SSS/black

WB400/TR01-G1



COMPONENTS

2pcs



TR01-G1
track roller

2pcs



Wb107
track end plug

4pcs



WB402
track bracket

2pcs



WB800-02
roller stopper

1pc



SDS-C01-06
door guide

2pcs



WB800-01-004
soft closer(optional)



SLIDING DOOR SYSTEM

WB200 Series



For glass door ,max door weight 80kg
With tube track bar, mounted on wall

WB200


UP TO 80KG
According To EN1527:2013



TR01-G2



WB200/TR01-G2



SPECIFICATIONS

- . For 10-12mm glass door
- . Max door weight 80kg
- . Track bar size: Ø25x2000mm
- . Material: stainless steel
- . Finish: SSS/black

COMPONENTS

2pcs



TR01-G2
track roller

2pcs



Wb107
track end plug

4pcs



Wb201
track bracket

1pc



SDS-C01-06
door guide

2pcs



WB800-02
roller stoper

SLIDING DOOR SYSTEM

WB600 Series



For glass door ,max door weight 60kg
With stainless steel tube track bar, mounted on wall

WB600


UP TO 60KG
According To EN1527:2013



TR04-G1



WB600/TR04-G1



SPECIFICATIONS

- . For 8-10mm glass door
- . Max door weight 60kg
- . Track bar size: 10x40mm
- . Material: stainless steel
- . Finish: SSS

COMPONENTS

2pcs



TR04-G1
track roller

2pcs




WB600-01-002
track end plug

2pcs



WB600-02
roller stopper

4-5pcs



WB600-01-003
track bracket

1pc



SDS-C01-06
door guide

SLIDING DOOR SYSTEM

SDS-C01



For single glass door ,max door weight 80kg

With aluminium track, mounted on wall or mounted on ceiling , with soft close funtion

SDS-C01

UP TO 80KG
According To EN1527:2013

SDS-C01_A
wall mounted



single door

COMPONENTS

1pc



SDS-C01-01

1pc



SDS-C01-02

3pcs



SDS-C01-03

2pcs



SDS-C01-04

2pcs



SDS-C01-05-003

2pcs
for soft close



SDS-C01-05

2pcs



SDS-C01-09

2pcs



SDS-C01-11

1pc



SDS-C01-06

SPECIFICATIONS

- . For 8-12mm glass door door
- . Max door weight 80kg;
- . Max door height 2300mm
- . Min door width 750mm;
- . Track bar size: 57x59mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black



SLIDING DOOR SYSTEM SDS-C01

For single wooden door ,max door weight 80kg
With aluminium track, mounted on wall or mounted on ceiling , with soft close function

SDS-C01

UP TO 80KG
According To EN1527:2013

SDS-C01_B
wall mounted



single door

SPECIFICATIONS

- . For 35-45mm wooden door
- . Max door weight 80kg;
- . Max door height 2300mm
- . Min door width 750mm;
- . Track bar size: 57x59mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black

COMPONENTS

1pc




SDS-C01-01

1pc



SDS-C01-02

2pcs



SDS-C01-04

2pcs



SDS-C01-07-001

2pcs



SDS-C01-05-003

2pcs
for soft close



SDS-C01-05

2pcs



SDS-C01-09

2pcs



SDS-C01-11

1pc



SDS-U01A-06

3pcs



SDS-C01-03



SLIDING DOOR SYSTEM



SDS-C01

For double glass door ,max door weight 80kg
With aluminium track, mounted on wall or mounted on ceiling , with soft close function

SDS-C01

UP TO 80KG
According To EN1527:2013

SDS-C01_C
wall mounted



double door

COMPONENTS

1pc



SDS-C01-01

1pc



SDS-C01-02

3pcs



SDS-C01-03

2pcs



SDS-C01-04

2pcs



SDS-C01-05-003

2pcs
for soft close



SDS-C01-05

2pcs



SDS-C01-09

2pcs



SDS-C01-11

1pc



SDS-C01-06

2sets



SDS-C01-08

SPECIFICATIONS

- . For 8-12mm glass door door
- . Max door weight 80kg;
- . Max door height 2300mm
- . Min door width 750mm;
- . Track bar size: 57x59mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black



SLIDING DOOR SYSTEM



SDS-C01

For double wooden door ,max door weight 80kg
With aluminium track, mounted on wall or mounted on ceiling , with soft close function

SDS-C01

UP TO 80KG
According To EN1527:2013

SDS-C01_D
wall mounted



double door

SPECIFICATIONS

- . For 35-45mm wooden door; Max door weight 80kg;
- . Max door height 2300mm; Min door width 750mm;
- . Track bar size: 57x59mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black

COMPONENTS

1pc	1pc	3pcs	2sets for synchronous function			
SDS-C01-01	SDS-C01-02	SDS-C01-03	SDS-C01-08			
2pcs	2pcs	2pcs for soft close	2pcs	2pcs	2pcs	2pcs
SDS-C01-04	SDS-C01-05-003	SDS-C01-05	SDS-C01-07-001	SDS-C01-09	SDS-C01-11	SDS-U01A-06

SLIDING DOOR SYSTEM


SDS-C01

For single glass door with fixed panel, max door weight 80kg
With aluminium track, mounted on ceiling, with soft close function

SDS-C01

UP TO 80KG
According To EN1527:2013

SDS-C01_E ceiling mounted, with fixed panel



single door with fixed panel

SPECIFICATIONS

- . For 8-12mm glass door; Max door weight 80kg;
- . Max door height 2300mm; Min door width 750mm;
- . Track bar size: 57x59mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black

COMPONENTS




SLIDING DOOR SYSTEM SDS-U01A Series

For single and double wooden door, max door weight 100kg
With aluminium track, mounted on ceiling, with soft close function



SDS-U01A

UP TO 100KG
EN1527:2013 100,000 cycles tested

SDS-U01A_A2 with smart box




SDS-U01A_A3 with easy clamp



single door

* Note:
X>90 or X=0
Normal accessories are applicable to X>90.
If X=0 is required, special instructions must be given when placing order.




double door

SPECIFICATIONS

- . For 35-45mm wooden door
- . Max door weight 100kg; Max door height 2300mm
- . Min door width 650mm (for single soft close)
- . Min door width 950mm (for double soft close)
- . Track bar size: 42x54mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black

COMPONENTS





SLIDING DOOR SYSTEM


SDS-U01A Series

For single and double glass door, for glass door with fixed panel ,max door weight 100kg
With aluminum track, mounted on ceiling, with soft close function




SDS-U01A

UP TO 100KG
EN1527:2013 100,000 cycles tested


SDS-U01A_A1 with smart clamp



SDS-U01A_A4 with fixed panel




* Note:
X>90 or X=0
Normal accessories are applicable to X>90.
If X=0 is required, special instructions must be given when placing order.



SPECIFICATIONS

- . For 10-12mm glass door
- . Max door weight 100kg; Max door height 2300mm,
- . Min door width 650mm (for single soft close)
Min door width 950mm (for double soft close)
- . Track bar size: 42x54mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black

COMPONENTS





SLIDING DOOR SYSTEM


SDS-U01B Series

For single and donble wooden door ,max door weight 100kg
With aluminium track, mountedon ceiling, with soft close function


SDS-U01B

UP TO 120KG
EN1527:2013 100,000 cycles tested

SDS-U01B_A2 with smart box



SDS-U01B_A3 with easy clamp



SPECIFICATIONS

- . For 35-45mm wooden door
- . Max door weight 100kg; Max door height 2300mm
- . Min door width 650mm (for single soft close)
- . Min door width 950mm (for double soft close)
- . Track bar size: 40x40mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black

COMPONENTS

1pc



SDS-U01B-01

2pcs



SDS-U01B-05A
For 80-120KG

2pcs



SDS-U01B-05B
For 40-60KG

2pcs
smart box



SDS-U01A-04

2pcs
easy clamp



SDS-U01A-09

2pcs



SDS-U01B-04

2pcs




SDS-U01A-02

1pc
for wooden door




SDS-U01A-06



single door

* Note:
X>35 or X=0
Normal accessories are applicable to X>35.
If X=0 is required, special instructions must be given when placing order.



double door



SLIDING DOOR SYSTEM


SDS-U01B Series

For single and double glass door ,max door weight 100kg
With aluminium track, mounted on wall, with soft close function

SDS-U01B


UP TO 120KG
EN1527:2013 100,000 cycles tested

SDS-U01B_A1 with smart clamp




SPECIFICATIONS

- . For 10-12mm glass door
- . Max door weight 100kg; Max door height 2300mm
- . Min door width 650mm (for single soft close)
- . Min door width 950mm (for double soft close)
- . Track bar size: 40x40mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black



single door

* Note:
X>35 or X=0
Normal accessories are applicable to X>35.
If X=0 is required, special instructions must be given when placing order.



double door

COMPONENTS

1pc	2pcs smart clamp	2pcs	2pcs	2pcs	1pc	2pcs
SDS-U01B-01	SDS-U01A-07	SDS-U01B-05A For 80-120KG	SDS-U01B-05B For 40-60KG	SDS-U01B-04	SDS-C01-06	SDS-U01B-02








SIMULTANEOUS SLIDING SYSTEM

SDS-U01B-L Series

For frame glass door and wooden door ,max door weight 100kg
With aluminium track, mounted on ceiling, with soft close function

SDS-U01B-L

UP TO 100KG
According To EN1527:2003



- SPECIFICATIONS
- . For 35-45mm wooden door or frame glass door
 - . Max door weight 100kg; Max door height 2300mm
 - . Min door width 650mm
 - . Max door width 1100mm
 - . Track bar size: 40x40mm, ceiling mounted
 - . Optional soft close function
 - . Material: aluminum
 - . Finish: silver/black



SIMULTANEOUS SLIDING SYSTEM

SDS-U01B-L Series

For frame glass door and wooden door ,max door weight 100kg
With aluminium track, mounted on wall, with soft close function

SDS-U01B-L COMPONENTS

UP TO 100KG
According To EN1527:2003

ITEM No.		MATERIAL	SDS-U01B-L2	SDS-U01B-L3
SDS-U01B-01		aluminium	2pcs	3pcs
SDS-U01A-09		steel	4pcs	6pcs
SDS-U01B-05A For 100KG		aluminium	2(4)pcs	4(6)pcs
SDS-U01B-05A For 100KG		aluminium	(2)pcs	(2)pcs
SDS-U01A-05		plastic	2pcs	2pcs
SDS-U01A-06		stainless steel	1pcs	1pcs
SDS-U01B-L-01		aluminium	1pcs	2pcs
SDS-U01B-L-02		aluminium	1pcs	2pcs
SDS-U01B-L-02-001		aluminium	1pcs	1pcs
SDS-U01B-L-05		aluminium	1pcs	1pcs
SDS-U01B-L-04		stainless steel	1pcs	3pcs
SDS-U01B-L-06		stainless steel	1pcs	2pcs
SDS-U01B-L-08		plastic	1pc	1pc

SLIDING DOOR SYSTEM


SDS-U01C Series

For glass door and wooden door ,max door weight 60kg
With aluminium track, mounted on ceiling, with soft close function




SDS-U01C

UP TO 60KG
According To EN1527:2003


SDS-U01B_A2
with smart box



SDS-U01C_A3
with easy clamp



single door



double door

SPECIFICATIONS

- . For 30-40mm wooden door
- . Max door weight 60kg; Max door height 2300mm
- . Min door width 650mm
- . Max door width 900mm
- . Track bar size: 30.5x40mm
- . Optional soft close function
- . Material: aluminum
- . Finish: silver/black

COMPONENTS

1pc



SDS-U01C-01

2pcs



SDS-U01C-02

2pcs



SDS-U01B-04

2pcs
smart box



SDS-U01A-04

2pcs
easy clamp



SDS-U01A-09

1pcs



SDS-U01A-06

1pcs
optional for soft close



SDS-U01B-05D



SLIDING DOOR SYSTEM




SDS-U01C Series

For glass door and wooden door ,max door weight 60kg
With aluminium track, mounted on ceiling, with soft close function

SDS-U01C


UP TO 60KG
According To EN1527:2003

SDS-U01C_A1
with smart clamp



- SPECIFICATIONS
- . For 10mm glass door
 - . Max door weight 60kg; Max door height 2300mm
 - . Min door width 650mm
 - . Max door width 900mm
 - . Track bar size: 30x40mm
 - . Optional soft close function
 - . Material: aluminum
 - . Finish: silver/black

COMPONENTS



HANDLES



PULL HANDLE WITH LOCK For Wooden Door And Glass Door




GL202
Glass door lock



IC cores cylinder



Art No.	Size	C	L
GL202/1220	1220mm	914	1220
GL202/1525	1525mm	1220	1525





- SPECIFICATIONS**
- optional for cylinder function, passage function and thumbturn indicating function
 - different length available
 - material: Stainless steel
 - finish: Satin, Polish




GL201
Glass door lock

European round cylinder



Art No.	Size	C	L
GL201/1200	1200mm	925	1200
GL201/1500	1500mm	1125	1500



- SPECIFICATIONS**
- optional for cylinder function: passage function and thumbturn indicating function
 - square handle bar available
 - different length available
 - material: Stainless steel
 - finish: Satin, Polish